Index to Volume 38

Authors and Titles

Abramski, M. S. *See* Osborne, P. L.
Anderson, D. T. *See* Egan, E. A.; *see also* Young, J. W.
Augustine, O. *See* Kenchington, T. J.

Bagg, J. *See* Smith, J. D.
Barlow, C. G., Hogan, A. E., and Rodgers, L. J.
Disappearance of *Melanotaenia eachamensis* (Pisces : Melanotaeniidae) possibly caused by translocated fishes 897
Batley, G. E.
Heavy metal speciation in waters, sediments and biota from Lake Macquarie, New South Wales 591
Bayly, I. A. E. and Burton, H. R.
Vertical distribution of *Paralabidocera antarctica* (Copepoda : Calanoida) in Ace Lake, Antarctica, in summer 537
Bell, R. S., Channells, P. W., MacFarlane, J. W., Moore, R., and Phillips, B. F.
Movements and breeding of the ornate rock lobster, *Panulirus ornatus*, in Torres Strait and on the north-east coast of Queensland 197
Berra, T. M., Campbell, A., and Jackson, P. D.
Diet of the Australian grayling, *Prototroctes maraena* Günther (Salmoniformes : Prototroctidae), with notes on the occurrence of a trematode parasite and black peritoneum 661
Bibby, J. M. *See* Coles, R. G.
Blaber, S. J. M., May, J. L., Young, J. W., and Bulman, C. M.
Population density and predators of *Ophiacantha fidelis* (Koehler, 1930) (Echinodermata : Ophiuroidea) on the continental slope of Tasmania 243
Blackman, D. R., Hinwood, J. B., and Lleonart, G. T.
Temperature anomaly in western Bass Strait 191
Bode, L. *See* Griffin, D. A.
Boon, P. I. *See* Cain, S.
Buchwald, V. T. and Kachoyan, B. J.
Shelf waves generated by a coastal flux 429
Bulman, C. M. *See* Blaber, S. J. M.
Burton, E. M. and Mitchell, B. D.
Moult staging in the Australian freshwater crayfish, *Cherax albidus* Clark and *Cherax destructor* Clark (Decapoda : Parastacidae), via uropod setal development 545
Burton, H. R. *See* Bayly, I. A. E.; *See also* Franzmann, P. D.
Butler, A. J.
Ecology of *Pinna bicolor* Gmelin (Mollusca : Bivalvia) in Gulf St Vincent, South Australia : density, reproductive cycle, recruitment, growth and mortality at three sites 743

Cain, S. and Boon, P. I.
Cellular osmotica of plants in relation to sediment nitrogen and salt contents in mangroves and saltmarshes at Western Port, Victoria 783
Campbell, A. *See* Berra, T. M.
Cannon, L. R. G. and Jennings, J. B.
Occurrence and nutritional relationships of four ectosymbiotes of the freshwater crayfishes *Cherax dispar* and *Cherax punctatus* Clark (Crustacea : Decapoda) in Queensland 419
Cartwright, D. I. *See* Dean, J. C.
Channells, P. W. *See* Bell, R. S.
Chessman, B. C. and Robinson, D. P.
Some effects of the 1982–83 drought on water quality and macroinvertebrate fauna in the lower LaTrobe River, Victoria 289
Church, J. A.
East Australian Current adjacent to the Great Barrier Reef 671
Clementson, L. *See* Harris, G.
Coates, D.
Observations on the biology of tarpon, *Megalops cyprinoides* (Broussonet) (Pisces : Megalopidae), in the Sepik River, northern Papua New Guinea 529
Coles, R. G., Lee Long, W. J., Squire, B. A., Squire, L. C. and Bibby, J. M.
Distribution of seagrasses and associated juvenile commercial penaeid prawns in north-eastern Queensland waters 103
Crocos, P. J.
Reproductive dynamics of the grooved tiger prawn, *Penaeus semisulcatus*, in the north-western Gulf of Carpentaria, Australia 79

Crocos, P. J.
Reproductive dynamics of the tiger prawn *Penaeus esculentus*, and a comparison with *P. semisulcatus*, in the north-western Gulf of Carpentaria, Australia 91
Crocos, P. J. *See* Somers, I. F.

Dean, J. C. and Cartwright, D. I.
Trichoptera of a Victorian forest stream : species composition and life histories 845
Deprez, P. P. *See* Franzmann, P. D.

Egan, E. A. and Anderson, D. T.
Larval development of the megabalanine balanomorph *Austromegabalanus nigrescens* (Lamarck) (Cirripedia, Balanidae) 511

Forbes, A. M. G.
Wind stress in the Australian Coastal Experiment region 475
Franzmann, P. D., Deprez, P. P., Burton, H. R., van den Hoff, J.
Limnology of Organic Lake, Antarctica, a meromictic lake that contains high concentrations of dimethyl sulfide 409

Glaister, J. P., McDonall, V. C. and Lau, T.
Growth and migration of tagged eastern Australian king prawns, *Penaeus plebejus* Hess 225
Goldman, B. *See* Leis, J. M.
Griffin, D. A., Middleton, J. H., and Bode, L.
The tidal and longer-period circulation of Capricornia, southern Great Barrier Reef 461
Gu, Y. *See* Mackey, D. J.
Gwyther, D. *See* Sause, B. L.

Hanna, P. J. *See* Sause, B. L.
Harris, A. N. *See* Somers, I. F.
Harris, G., Nilsson, C. Clementson, L. Thomas, D.
The water masses of the east coast of Tasmania: seasonal and interannual variability and the influence on phytoplankton biomass and productivity 569
Harris, J. H.
Growth of Australian bass, *Macquaria novemaculeata* (Perciformes : Percichthyidae) in the Sydney Basin 351
Hart, B. T. Ottaway, E. M. and Noller, B. N.
Magela Creek system, northern Australia. I. 1982–83 wet-season water quality 261
Hart, B. T., Ottaway, E. M. and Noller, B. N.
Magela Creek system, northern Australia : II. Material budget for the floodplain 861
Higgins, H. W. and Mackey, D. J.
Role of *Ecklonia radiata* (C. Ag.) J. Agardh in determining trace metal availability in coastal waters. I. Total trace metals 307
Higgins, H. W. and Mackey, D. J.
Role of *Ecklonia radiata* (C. Ag.) J. Agardh in determining trace metal availability in coastal waters. II. Trace metal speciation 317
Hill, B. J. and Wassenberg, T. J.
Feeding behaviour of adult tiger prawns, *Penaeus esculentus*, under laboratory conditions 183
Hill, B. J. *See* Somers, I. F.; *see also* Wassenberg, T. J.
Hinwood, J. B. *See* Blackman, D. R.
Hogan, A. E. and Nicholson, J. C.
Sperm motility of sooty grunter, *Hephaestus fuliginosus* (Macleay), and jungle perch, *Kuhlia rupestris* (Lacépède), in different salinities 523
Hogan, A. E. *See* Barlow, C. G.
Howe, E.
Breeding behaviour, egg surface morphology and embryonic development in four Australian species of the genus *Pseudomugil* (Pisces : Melanotaeniidae) 885

Jackson, P. D. *See* Berra, T. M.; *see also* Rothlisberg, P. C.
Jennings, J. B. *See* Cannon, L. R. G.
Jones, A. R.
Temporal patterns in the macrobenthic communities of the Hawkesbury estuary, New South Wales 607
Jones, B. G. *See* Yassini, I.
Jones, M. R.
Surficial sediments of the western Gulf of Carpentaria, Australia 151

Kachoyan, B. J. *See* Buchwald, V. T.

Kenchington, T. J. and Augustine, O.
Age and growth of blue grenadier, *Macruronus novaezelandiae* (Hector), in south-eastern Australian waters 625
Kenyon, R. *See* Poiner, I. R.
Kyle, J. H. *See* Osborne, P. L.

Langdon, J. S.
Active osmoregulation in the Australian bass, *Macquaria novemaculeata* (Steindachner), and the golden perch, *Macquaria ambigua* (Richardson) (Percichthyidae) 771
Lau, T. *See* Glaister, J. P.
Lee Long, W. J. *See* Coles, R. G.
Leis, J. M. and Goldman, B.
Composition and distribution of larval fish assemblages in the Great Barrier Reef Lagoon, near Lizard Island, Australia 211
Lleonart, G. T. *See* Blackman, D. R.
Loch, R. G. *See* Ridgway, K. R.
Lyle, J. M.
Observations on the biology of *Carcharhinus cautus* (Whitley), *C. melanopterus* (Quoy & Gaimard) and *C. fitzroyensis* (Whitley) from Northern Australia 701

McDonall, V. C. *See* Glaister, J. P.
MacFarlane, J. W. *See* Bell, R. S.
Mackey, D. J., Szymczak, R., Tomczak, M. Jr, and Gu, Y.
Effects of mixed-layer depth and an isolated coral reef on the strong complexing capacity of oligotrophic waters 491
Mackey, D. J. *See* Higgins, H. W.
May, J. L. *See* Blaber, S. J. M.
Michie, M. G.
Distribution of foraminifera in a macrotidal tropical estuary: Port Darwin, Northern Territory of Australia 249
Middleton, J. H. *See* Griffin, D. A.
Milton, D. A. and Shaklee, J. B.
Biochemical genetics and population structure of blue grenadier, *Macruronus novaezelandiae* (Hector) (Pisces : Merluccidae), from Australian waters 727
Mitchell, B. D. *See* Burton, E. M.
Moore, L. S.
Water chemistry of the coastal saline lakes of the Clifton-Preston lakeland system, south-western Australia, and its influence on stromatolite formation 647
Moore, R. *See* Bell, R. S.

Nicholson, J. C. *See* Hogan, A. E.
Nilsson, C. *See* Harris, G.
Noller, B. N. *See* Hart, B. T.

O'Connor, N. A. *See* Sause, B. L.
Osborne, P. L., Kyle, J. H. and Abramski, M. S.
Effects of seasonal water level changes on the chemical and biological limnology of Lake Murray, Papua New Guinea 397
Ottaway, E. M. *See* Hart, B. T.

Pendry, R. C. *See* Rothlisberg, P. C.
Phillips, B. F. *See* Bell, R. S.
Poiner, I. R., Staples, D. J. and Kenyon, R.
Seagrass communities of the Gulf of Carpentaria, Australia 121
Poiner, I. R. *See* Somers, I. F.

Ridgway, K. R. and Loch, R. G.
Mean temperature–salinity relationships in Australian waters and their use in water mass analysis 553
Robinson, D. P. *See* Chessman, B. C.
Rodgers, L. J. *See* Barlow, C. G.
Rothlisberg, P. C., Jackson, C. J. and Pendry, R. C.
Larval ecology of penaeids of the Gulf of Carpentaria, Australia. I. Assessing the reproductive activity of five species of *Penaeus* from the distribution and abundance of the zoeal stages 1
Rothlisberg, P. C. and Jackson, C. J.
Larval ecology of penaeids of the Gulf of Carpentaria, Australia. II. Hydrographic environment of *Penaeus merguiensis, P. esculentus, P. semisulcatus* and *P. latisulcatus* zoeae 19

Salini, J.
Genetic variation and population subdivision in the greentail prawn *Metapenaeus bennettae* (Racek & Dall) 33°
Sause, B. L., Gwyther, D., Hanna, P. J. and O'Connor, N. A.
Evidence for winter–spring spawning of the scallop *Pecten alba* (Tate) in Port Phillip Bay, Victoria 329
Schahinger, R. B.
Structure of coastal upwelling events observed off the south-east coast of South Australia during February 1983–April 1984 439
Shaklee, J. B. *See* Milton, D. A.
Sin, Y. O. *See* Smith, J. D.

Smith, J. D., Bagg, J. and Sin, Y. O.
Aromatic hydrocarbons in seawater, sediments, and clams from Green Island, Great Barrier Reef, Australia 501
Somers, I. F.
Sediment type as a factor in the distribution of the commercial prawn species of the western Gulf of Carpentaria, Australia 133
Somers, I. F., Crocos, P. J. and Hill, B. J.
Distribution and abundance of the tiger prawns *Penaeus esculentus* and *P. semisulcatus* in the north-western Gulf of Carpentaria, Australia 63
Somers, I. F., Poiner, I. R. and Harris, A. N.
A study of the composition and distribution of commercial penaeid prawns of Torres Strait 47
Squire, L. C. *See* Coles, R. G.
Staples, D. J. and Vance, D. J.
Comparative recruitment of the banana prawn, *Penaeus merguiensis*, in five estuaries of the south-eastern Gulf of Carpentaria, Australia 29
Staples, D. J. *See* Poiner, I. R.
Szymczak, R. *See* Mackey, D. J.

Thomas, D. *See* Harris, G.
Timms, B. V.
Limnology of Lake Buchanan, a tropical saline lake, and associated pools, of North Queensland 877
Tomczak, M. Jr. *See* Mackey, D. J.
Tominaga, H., Tominaga, N. and Williams, W. D.
Concentration of some inorganic plant nutrients in saline lakes on the Yorke Peninsula, South Australia 301
Tominaga, N. *See* Tominaga, H.
Vance, D. J. *See* Staples, D. J.
van den Hoff, J. *See* Franzmann, P. D.

Walter, T. C.
Review of the taxonomy and distribution of the demersal copepod genus *Pseudodiaptomus* (Calanoida : Pseudodiaptomidae) from southern Indo-West Pacific waters 363
Wassenberg, T. J. and Hill, B. J.
Natural diet of the tiger prawns *Penaeus esculentus* and *P. semisulcatus* 169
Wassenberg, T. J. *See* Hill, B. J.
Weaver, A. J.
Bass Strait as a reverse estuary source for coastally trapped waves 685
Webb, C. J.
Karyology of the Indo-Pacific eleotrid *Butis butis* (Hamilton-Buchanan) (Teleostei : Gobioidei) from Fiji 777
Williams, W. D. *See* Tominaga, H.

Yassini, I. and Jones, B. G.
Ostracoda in Lake Illawarra: environmental factors, assemblages and systematics 795
Young, J. W. and Anderson, D. T.
Hyperiid amphipods (Crustacea : Peracarida) from a warm-core eddy in the Tasman Sea 711
Young, J. W. *See* Blaber, S. J. M.